

NHS Rotherham Clinical Commissioning Governing Body

Operational Executive – Date

Strategic Clinical Executive – Date

GP Members Committee (GPMC) – Date

Clinical Commissioning Group Governing Body - 7 December 2016

Public Health Outcomes Framework – Quarterly Update on Rotherham Performance – November 2016

Lead Executive:	N/a
Lead Officer:	Giles Ratcliffe, Consultant Public Health, RMBC
Lead GP:	<i>N/a</i>

Purpose:

To provide an overview to the Governing Body on how the Rotherham Borough is performing in terms of the Public Health Outcomes Framework (PHOF) indicators

Background:

The Public Health Outcomes Framework Healthy lives, healthy people: Improving outcomes and supporting transparency sets out a vision for public health, desired outcomes and the indicators that will help us understand how well public health is being improved and protected.

The framework concentrates on two high-level outcomes to be achieved across the public health system (0.1. Increased healthy life expectancy; 0.2. Reduced differences in life expectancy and healthy life expectancy between communities), and groups further indicators into four 'domains' that cover the full spectrum of public health. The outcomes reflect a focus not only on how long people live, but on how well they live at all stages of life.

Data are published as part of a quarterly update cycle in August, November, February and May.

Analysis of key issues and of risks

(Gap in Life Expectancy with England) Overall the gap has widened for males from 0.8 years for 2000-02 to 1.4 years for 2012-14. For females the gap has widened from 1.1 to 1.9 years. The gap has fluctuated over time but has increased over the last 3 periods (by 0.7 years for females, 0.3 years for males) Rotherham females rank just outside the worst 10% among English upper tier local authorities.

(Low Birth Weight) Rotherham's rate fluctuated until 2012 but then increased relatively sharply over the latest two years to its highest (3.9%) in the period measured (2005-2014). The rate is now significantly higher than both England and Region, ranks 3rd worst compared to 15 nearest neighbours and is in the worst 10% of local authorities in England.

(Suicide and deaths from injury of undetermined intent – all ages) Rates decreased well between 2005-07 and 2009-11 but have increased greatly since 2009-11 (from 5.1 per 100,000 in 2009-11 to 14.2 in 2013-2015). The rate overtook the England rate in 2011-13 and became significantly worse in 2013-15 (Red RAG-rated). The number of death registrations have nearly

trebled from 34 for the 3 years 2009-11 to 96 for 2013-15. Rotherham ranks worst in Yorkshire and the Humber Region for 2013-15, 2nd worst compared to CIPFA nearest neighbours and 8th worst in England.

(Emergency Readmissions) Rates have been increasing almost every year between 2003/04 and 2011/12 (latest data) for both males and females. Rates for England have also been increasing but the gap has widened for the latest year (2011/12) Rotherham (Persons) ranks worst in Region and among nearest neighbours, and in the worst 10% in England. However, the data used as part of the PHOF for emergency readmission may not be reflective of the current position and performance, as the data is several years old. Unfortunately we will still be judged as part of the PHOF on this historical data.

Patient, Public and Stakeholder Involvement:

N/a

Equality Impact:

N/a

Financial Implications:

Human Resource Implications:

N/a

Procurement:

N/a

Approval history:


N/a

Recommendations:

- Governing Body to consider the key 'Exceptions' and areas of worsening public health outcomes highlighted in the report.
- Governing Body to consider whether there are any further actions it wishes to take in regard to specific indicators.

Public Health Outcomes Framework - Exceptions and Areas of Concern (as at November 2016)

Update published: 1 November 2016



New, updated or revised indicators shown as shaded. New period shown in red

Exceptions

Indicator	Latest Period	Rotherham		Region Value	England Value	Unit	RAG	Last yr	Trend	Since Baseline		LA Rank (a) (1=worst)
		Count	Value							Overall	RAG-C	
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (M)	2012-14	n/a	-1.4	n/a	n/a	Years	■	↑		↑		36/150
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (F)	2012-14	n/a	-1.9	n/a	n/a	Years	■	↑		↑		17/150
2.01 - Low birth weight of term babies (>= 37 weeks gestational age at birth)	2014	111	3.9%	3.1%	2.9%	%	■	↑		↑	A to R	15/148
4.10 - Suicide rate (all ages) (Persons)	2013-15	96	14.2	10.7	10.1	DSR per 100,000	■	↑		↑	A to R	8/147
4.10 - Suicide rate (all ages) (Male)	2013-15	74	22.9	17.2	15.8	DSR per 100,000	■	↑		↑	A to R	10/139
4.11 - Emergency readmissions within 30 days of discharge from hospital (all ages) (Persons)	2011/12	4,741	13.4	12.0	11.8	Indirectly std proportion	■	↑		↑		7/152
4.11 - Emergency readmissions within 30 days of discharge from hospital (all ages) (Male)	2011/12	2,215	13.7	12.5	12.1	Indirectly std proportion	■	↑		↑		17/150
4.11 - Emergency readmissions within 30 days of discharge from hospital (all ages) (Female)	2011/12	2,526	13.2	11.6	11.5	Indirectly std proportion	■	↑		↑		9/150

Exceptions - Summary

The above indicators have been classed as “exceptions” due to being significantly worse than England for the latest data, and the recent and overall long-term position (latest minus baseline) showing the indicator is getting worse.

0.2iv (Gap in Life Expectancy with England) Overall the gap has widened for males from 0.8 years for 2000-02 to 1.4 years for 2012-14. For females the gap has widened from 1.1 to 1.9 years. The gap has fluctuated over time but has increased over the last 3 periods (by 0.7 years for females, 0.3 years for males) Rotherham females rank just outside the worst 10% among English upper tier local authorities.

2.01 (Low Birth Weight) Rotherham’s rate fluctuated until 2012 but then increased relatively sharply over the latest two years to its highest (3.9%) in the period measured (2005-2014). The rate is now significantly higher than both England and Region, ranks 3rd worst compared to 15 nearest neighbours and is in the worst 10% of local authorities in England.

4.10 (Suicide and deaths from injury of undetermined intent – all ages) Rates decreased well between 2005-07 and 2009-11 but have increased greatly since 2009-11 (from 5.1 per 100,000 in 2009-11 to 14.2 in 2013-2015) The rate overtook the England rate in 2011-13 and became significantly worse in 2013-15 (Red RAG-rated). The number of death registrations have nearly trebled from 34 for the 3 years 2009-11 to 96 for 2013-15. Rotherham ranks worst in Yorkshire and the Humber Region for 2013-15, 2nd worst compared to CIPFA nearest neighbours and 8th worst in England. Males account for 75-80% of the suicide deaths in Rotherham and so changes in rates closely match those for Persons. Note – there has been a coding change and a definitional change which has affected rates slightly over those shown in previous profiles.

4.11 (Emergency Readmissions) Rates have been increasing almost every year between 2003/04 and 2011/12 (latest data) for both males and females. Rates for England have also been increasing but the gap has widened for the latest year (2011/12) Rotherham (Persons) ranks worst in Region and among nearest neighbours, and in the worst 10% in England.

Checked June 2015 with HSCIC when more recent data will be available. Response was “To be updated when outside provider sourced to do the work”. However, no update to date. Checked again in February 2016. Reply: Been very busy but are working on this now and hope to publish updated data in a few months time. (Still “To Be Confirmed” as at August 2016) Checked again November 2016 – advised could be some time as still reviewing the indicator with Department of Health colleagues to develop a robust methodology.

Areas of concern

Indicator	Latest Period	Rotherham		Region	England	Unit	RAG	Last yr	Trend	Since Baseline		LA Rank (a) (1=worst)
		Count	Value	Value	Value					Overall	RAG-C	
0.1i - Healthy life expectancy at birth (Male)	2012-14	n/a	58.9	61.4	63.4	Years						28/150
0.1i - Healthy life expectancy at birth (Female)	2012-14	n/a	58.7	61.8	64.0	Years						21/150
0.1ii - Life Expectancy at birth (Female)	2012-14	n/a	81.3	82.4	83.2	Years						16/150
0.2iii - Slope index of inequality in life expectancy at birth within English LAs, based on local deprivation deciles within each area (M)	2012-14	n/a	9.5	n/a	n/a	Years						50/149
0.2iii - Slope index of inequality in life expectancy at birth within English LAs, based on local deprivation deciles within each area (F)	2012-14	n/a	7.0	n/a	n/a	Years						57/149
1.10 - Killed and seriously injured casualties on England's roads (all ages)	2012-14	292	37.6	45.1	39.3	Crude rate per 100,000					G to A	72/152
1.12iii - Violent crime (including sexual violence) - Rate of sexual offences per 1,000 pop.n (all ages)	2015/16	672	2.58	1.99	1.69	Crude rate per 1,000						12/152
2.11ii - Average portions of fruit eaten (age 16+)	2015	n/a	2.37	2.46	2.51					n/a	A to R	38/152
2.12 - Excess Weight in Adults (age 16+)	2013-15	n/a	76.2%	67.4%	64.8%	%				n/a		1/152
2.20xii - Newborn hearing screening - coverage (age under 1 year)	2014/15	2,822	97.3%	98.5%	98.5%	%				n/a	A to R	23/152
2.22iii - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check (in 5yrs 13/14-17/18)	2013/14 - 2015/16	23,037	28.6%	49.8%	56.4%	%		n/a		n/a		3/152
2.22v - Cumulative % of the eligible population aged 40-74 who received an NHS Health Check (13/14-17/18)	2013/14 - 2015/16	17,290	21.4%	24.3%	27.4%	%		n/a		n/a		31/152
2.23i - Self-reported well-being - people with a low satisfaction score (age 16+)	2014/15	n/a	7.1%	5.7%	4.8%	%						14/110
2.23ii - Self-reported well-being - people with a low worthwhile score (age 16+)	2014/15	n/a	4.9%	4.3%	3.8%	%						23/79
2.23iii - Self-reported well-being - people with a low happiness score (age 16+)	2014/15	n/a	12.1%	10.2%	9.0%	%						14/138
2.23iv - Self-reported well-being - people with a high anxiety score (age 16+)	2014/15	n/a	23.9%	21.3%	19.4%	%						12/150
3.02 - Chlamydia detection rate (15-24 year olds) - CTAD (Persons)	2015	536	1,738	2,031	1,887	Crude rate per 1,000					A to R	67/152
3.06 - NHS organisations with a board approved sustainable development management plan	2014/15	1	25.0%	48.1%	56.5%	%						10/152
4.06i - Under 75 mortality rate from liver disease (Female)	2013-15	63	17.6	12.6	12.5	DSR per 100,000					A to R	31/128
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons)	2013-15	157	22.5	21.7	18.1	DSR per 100,000					A to R	50/149
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female)	2013-15	85	23.7	21.1	16.1	DSR per 100,000						32/134
4.15ii - Excess Winter Deaths Index (single year, ages 85+) (Male)	Aug 2014 - Jul 2015	72	74.9	36.2	36.3	Ratio					A to R	5/150

Based on data from November 2016 quarterly update of the Public Health Outcomes Framework (PHOF) (published 01/11/16).

Source - Public Health England.

Notes

Value = Rotherham rate.

Last yr = change over last year/period.

(a) Out of possible 152 LAs. Some LAs no data.

Region = Yorkshire and the Humber rate.

Trend = all available data from baseline.

RAG = Rotherham compared to England (Red/Amber/Green)

Overall = change from baseline to latest.

RAG-C = Change in RAG status baseline to latest.

(R) = Red, (A) = Amber, (G) = Green.

'Exceptions' defined as statistically significantly worse than England (at 95% confidence level) and where performance has worsened recently and over the long-term.

'Areas for Concern' defined as indicators which may not be red RAG-rated at present but trends suggest they may be in the near future.

Additionally, they may be of concern due to a wide or widening gap in rates between Rotherham and England.

'RAG' column shows how Rotherham is performing compared to the England average:

Green circle = significantly better, Red = significantly worse, Amber = similar.

DSR - Directly Age-Standardised Rate.

Areas of concern - Summary

The above indicators have been classed as "Areas for concern" generally where the recent trend has been a worsening one.

0.1i (Healthy Life Expectancy) Whereas Male Healthy Life Expectancy at birth (HLE) has increased overall by 0.7 years between 2009-11 and 2012-14 Female HLE has decreased by 1.2 years from 59.9 to 58.7 years. Female HLE is now third worst in Y&H Region, fifth worst among CIPFA nearest statistical neighbours, and is in 21st worst of 150 English local authorities with data. Despite increasing overall Male HLE is still well below Region and England and ranks 28th worst of 150 LAs with data.

Healthy Life Expectancy is basically calculated based upon Life Expectancy at birth in years multiplied by the Prevalence of "Good" responses to a question on general health from the Annual Population Survey. As this indicator is partly based on self-reported survey data it is liable to inaccuracies due to response bias.

0.1ii (Life expectancy at birth – Females) Although life expectancy at birth in females has increased over the long term (since 2000-02) it has increased less than England widening the gap between them (from 1.1 to 1.9 years). Additionally, life expectancy at birth has decreased over the last 3 periods (from 81.7 to 81.3 years). This ranks Rotherham 2nd worst in Y&H Region, 5th worst compared to 15 nearest neighbours and just outside the worst 10% of English local authorities.

0.2iii (Life expectancy gap within Rotherham) Although fluctuating over time there has been virtually no net change in the gap in life expectancy at birth between the least and most deprived in Rotherham for males between 2002-04 and 2012-14 (9.4 to 9.5 years) but the gap for females has widened dramatically (from 4.5 to 7.0 years)

1.10 (Killed and seriously injured casualties on England's roads) The Rotherham rate has increased over the last 3 periods whereas it has decreased for England and remained stable for Yorkshire and the Humber Region. Rotherham's rate is still lower than England and Region so is just one to watch at present.

1.12iii (Violent crime including sexual offences) The Rotherham rate has increased since 2011/12 but sharply so over the last 2 years 2013/14 to 2015/16. The rate overtook England in 2014/15 but is well above in 2015/16 (Rotherham 2.6 per 1,000, England 1.7) and ranks 12th worst of 152 local authorities in England. It is stated in the caveats with this data that action taken by police forces to improve their compliance with the National Crime Recording Standard (NCRS) is likely to have resulted in the increase in the number of offences recorded.

2.11ii (Average portions of fruit eaten) Although both Rotherham and the England average decreased between 2014 and 2015 Rotherham decreased more and is now statistically worse than England (Red RAG status) However, Rotherham is average compared to its statistical neighbours so this is just one to watch for now. Based on self-reported survey data (Active People Survey)

2.12 (Excess weight in adults) Although based on survey data with the problem of accuracy of self-reported data it now represents 3 years of data rather than one to try to make it more robust. The Rotherham rate increased between 2012-14 and 2013-15 from 73.3% to 76.2% and is significantly worse than England (64.8%) and Region (67.4%). Rotherham's rate for 2013-15 ranks worst of all upper tier local authorities in England (152 LAs)

2.20xii – Rotherham coverage at 97.3% ranks as 2nd worst among CIPFA neighbours and worst in Yorkshire and the Humber Region. England and Region average 98.5%.

2.22 (Health checks) Rotherham had offered 28.6% of the eligible population a health check by 2015/16 (from 2013/14) This ranks as 3rd lowest of 152 local authorities and significantly worse (red RAG-rated) than Yorkshire & the Humber Region (49.8%) and England (56.4%) Similarly, the percentage of the eligible population who received a health check is significantly lower than Region and England (Rotherham 21.4% YH 24.3%, England 27.4%) However, of those offered a health check who receive one Rotherham is significantly better than Region and England (R 75.1%, YH 48.8%, E 48.6%)

UPDATE – Data to 2016/17 Q1 is available in the NHS Health Checks Profiles. Those offered is then 33.1% but this is still 4th lowest of 152 English LAs. Those who received a health check was 24.4% at 2016/17 Q1.

2.23 (Self-reported well-being) In 2014/15 Rotherham worsened from amber to red RAG ratings for all but "low worthwhile" of the four self-reported wellbeing scores. Rotherham now ranks poorly among English local authorities and 2nd worst (behind Barnsley) compared to 15 nearest statistical neighbours for low happiness and high anxiety.

3.02 (Chlamydia detection rate) The target is 2,300 per 100,000 aged 15-24. Rotherham's rate was 2,407 in 2013 but has decreased over the past 2 years to 1,738 (lower than the 1,900 red threshold). This is lower than England average (1,887) and Yorkshire and the Humber Region (2,031) and ranks 3rd lowest of 16 CIPFA nearest neighbours.

3.06 (NHS organisations with a board approved sustainable development management plan) Rotherham has reduced from 5 organisations with a plan (100%) to 1 (25%) between 2012/13 and 2014/15. Rotherham ranks 2nd lowest in Region, equal lowest among statistical neighbours and in the lowest 10% of local authorities in England.

4.06i (Under 75 mortality rate from liver disease – Female) The female rate for Rotherham has generally increased throughout from 2002-04 (7.8 deaths per 100,000, standardised rate) to 2013-15 (17.6) and has overall more than doubled. It is now (2013-15) significantly higher than England (12.5) and Yorkshire and Humber Region (12.6) and worst in Region (although average compared to CIPFA nearest neighbours). In contrast, the male rate generally increased 2001-03 to 2007-09 then decreased from 2009-11 to 2013-15 to be significantly better than England (Green). The Persons rate, as a consequence, is level.

4.07ii (Under 75 mortality rate from respiratory disease considered preventable)(Persons)(Female) Female rates have continued to increase since 2010-12 (19.0 deaths per 100,000 standardised population) and more so than England, widening the gap, particularly in 2013-15 (Rotherham 23.7, England 16.1). Rates are significantly worse than England (Red) but still similar to Region level (21.1) although a gap has formed in 2013-15. Despite the gap with England Rotherham still ranks as average compared to Region and CIPFA nearest neighbour authorities.

Rates for Persons have been significantly worse than England since 2011-13. However, due to male rates decreasing since 2011-13 to be similar to England in 2013-15 (Rotherham 21.3, England 20.3) the Persons gap with England has only widened slightly.

4.15ii (Excess winter deaths/EWD – single year, aged 85+)(Male) Excess winter deaths are those occurring in the months (December to March) **minus** ((previous August to November **plus** following April to July)/2) Excess Winter Deaths in Rotherham increased greatly in the period August 2014 to July 2015 over August 2013 to July 2014 (all ages from 108 deaths to 272), and especially in those aged 85+ (from 16 deaths to 157). Both male and female deaths and EWD Index increased greatly but in males the Index increased from statistically similar and below England (Rotherham 4.3, England 16.4) to significantly worse than England (Rotherham 74.9, England 36.3). The increase in deaths in males, 85+ is spread across several causes (Ischaemic Heart Diseases, dementia, pneumonia, Chronic Obstructive Pulmonary Diseases, and others)

Public Health Outcomes Framework Scorecard – Rotherham - November 2016 update

Public Health Outcomes Framework

Update published: 1 November 2016

Significance (RAG) (compared to England)

- Better
- Average
- Worse
- Not compared
- Lower
- Higher

Change (over last period/ since baseline)

- ↑ Improving
- ↓ Worsening
- ▲ Increasing
- ▼ Decreasing
- ▬ Stable

New, updated or revised indicators shown as shaded. New period shown in red.

Overarching indicators

Indicator	Latest Period	Rotherham		Region	England	Unit	RAG	Last yr	Trend	Since Baseline	
		Count	Value	Value	Value					Overall	RAG-C
0.1i - Healthy life expectancy at birth (Male)	2012-14	n/a	58.9	61.4	63.4	Years	●	↑		↑	
0.1 - Healthy life expectancy at birth (Female)	2012-14	n/a	58.7	61.8	64.0	Years	●	↓		↓	
0.1ii - Life Expectancy at birth (Male)	2012-14	n/a	78.1	78.7	79.5	Years	●			↑	
0.1ii - Life Expectancy at birth (Female)	2012-14	n/a	81.3	82.4	83.2	Years	●	↓		↑	
0.1ii - Life Expectancy at 65 (Male)	2012-14	n/a	18.0	18.2	18.8	Years	●	↑		↑	
0.1ii - Life Expectancy at 65 (Female)	2012-14	n/a	20.1	20.6	21.2	Years	●			↑	
0.2iii - Slope index of inequality in life expectancy at birth within English LAs, based on local deprivation deciles within each area (M)	2012-14	n/a	9.5	n/a	n/a	Years		↑			
0.2iii - Slope index of inequality in life expectancy at birth within English LAs, based on local deprivation deciles within each area (F)	2012-14	n/a	7.0	n/a	n/a	Years				↑	
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (M)	2012-14	n/a	-1.4	n/a	n/a	Years	●	↑		↑	
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (F)	2012-14	n/a	-1.9	n/a	n/a	Years	●	↑		↑	

Improving the wider determinants of health

Indicator	Latest Period	Rotherham		Region Value	England Value	Unit	RAG	Last yr	Trend	Since Baseline	
		Count	Value							Overall	RAG-C
1.01i - Children in poverty (all dependent children under 20)	2013	12,720	21.7%	19.8%	18.0%	%					
1.01ii - Children in poverty (under 16s)	2013	11,330	22.8%	20.6%	18.6%	%					
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception	2014/15	2,302	67.4%	64.6%	66.3%	%					G to A
1.02i - School Readiness: % of children with free school meal status achieving a good level of development at the end of reception	2014/15	283	51.5%	48.6%	51.2%	%					G to A
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check	2014/15	2,483	74.4%	74.1%	76.8%	%					
1.02ii - School Readiness: Percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check	2014/15	391	59.5%	61.5%	64.7%	%					
1.03 - Pupil absence (age 5-15)	2014/15	688,616	5.3%	4.8%	4.6%	%					
1.04 - First time entrants to the youth justice system (age 10-17)	2015	119	487	426	369	Crude rate per 100,000					G to R
1.05 - 16-18 year olds not in education employment or training	2015	510	5.3%	4.8%	4.2%	%					
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (age 18-64)	2014/15	560	78.3%	81.4%	73.3%	%					
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (age 18-64) (Male)	2014/15	330	76.7%	81.7%	73.2%	%					
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (age 18-64) (Female)	2014/15	230	80.7%	80.0%	73.1%	%					
1.06ii - % of adults in contact with secondary mental health services who live in stable and appropriate accommodation (age 18-69)	2014/15	n/a	73.1%	67.2%	59.7%	%					
1.06ii - % of adults in contact with secondary mental health services who live in stable and approp. accommodation (age 18-69) (Male)	2014/15	n/a	71.0%	65.0%	58.4%	%					
1.06ii - % of adults in contact with secondary mental health services who live in stable and approp. accommodation (age 18-69) (Female)	2014/15	n/a	76.0%	69.7%	61.3%	%					
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate (age 16-64)	2015/16	n/a	15.8	8.9	8.8	Percentage point gap					
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (age 18-64) (Persons)	2014/15	n/a	62.1	64.4	66.9	Percentage point gap					
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (18-64) (Male)	2014/15	n/a	67.9	68.3	71.8	Percentage point gap					
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (18-64) (Female)	2014/15	n/a	56.9	60.7	62.3	Percentage point gap					
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (age 18-69)(P)	2014/15	n/a	63.2	62.7	66.1	Percentage point gap					
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (age 18-69) (M)	2014/15	n/a	70.8	69.0	72.6	Percentage point gap				n/a	
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (age 18-69) (F)	2014/15	n/a	55.5	56.1	59.3	Percentage point gap				n/a	
1.08iv - Percentage of people aged 16-64 in employment (Persons)	2015/16	112,100	70.0%	72.2%	73.9%	%					
1.08iv - Percentage of people aged 16-64 in employment (Male)	2015/16	60,600	75.3%	76.8%	79.2%	%					
1.08iv - Percentage of people aged 16-64 in employment (Female)	2015/16	51,400	64.7%	67.7%	68.8%	%					R to A
1.09i - Sickness absence - The percentage of employees who had at least one day off in the previous week (age 16+)	2011-13	n/a	2.7%	2.6%	2.4%	%					
1.09ii - Sickness absence - The percent of working days lost due to sickness absence (age 16+)	2011-13	n/a	1.8%	1.8%	1.5%	%					R to A

Improving the wider determinants of health (continued)

Indicator	Latest Period	Rotherham		Region Value	England Value	Unit	RAG	Last yr	Trend	Since Baseline	
		Count	Value							Overall	RAG-C
1.10 - Killed and seriously injured casualties on England's roads (all ages)	2012-14	292	37.6	45.1	39.3	Crude rate per 100,000					G to A
1.11 - Domestic Abuse (age 18+)	2014/15	n/a	30.0	23.1	20.4	Crude rate per 1,000					
1.12i - Violent crime (including sexual violence) - hospital admissions for violence (all ages)	2012/13 - 14/15	475	61.6	60.9	47.5	DSR per 100,000					
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population (all ages)	2015/16	3,946	15.2	18.0	17.2	Crude rate per 1,000					
1.12iii - Violent crime (including sexual violence) - Rate of sexual offences per 1,000 pop.n (all ages)	2015/16	672	2.58	1.99	1.69	Crude rate per 1,000					
1.13i - Re-offending levels - percentage of offenders who re-offend (all ages)	2013	699	30.3%	27.8%	26.4%	%					
1.13ii - Re-offending levels - average number of re-offences per offender (all ages)	2013	2,081	0.90	0.90	0.82	Crude rate per offender					
1.13iii - First time offenders	2015	590	226.9	230.2	242.4	Crude rate per 100,000				n/a	
1.14i - Percentage of the population affected by noise - No. of complaints about noise (all ages)	2014/15	2,149	8.3	6.5	7.1	Crude rate per 1,000					
1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime (all ages)	2011	10,070	3.9%	4.0%	5.2%	%		n/a			
1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time (all ages)	2011	19,330	7.5%	6.2%	8.0%	%		n/a			
1.15i - Statutory homeless - Eligible homeless people not in priority need	2015/16	29	0.3	1.2	0.9	Crude rate per 1,000					
1.15ii - Statutory homelessness - households in temporary accommodation (all ages)	2015/16	21	0.2	0.3	3.1	Crude rate per 1,000					
1.16 - Utilisation of outdoor space for exercise/health reasons (age 16+)	Mar 2014 Feb 2015	n/a	12.9%	19.4%	17.9%	%					
1.17 - Fuel Poverty (all ages)	2014	11,511	10.5%	11.8%	10.6%	%					G to A
1.18i - Social Isolation: % of adult social care users who have as much social contact as they would	2015/16	n/a	45.5%	46.0%	45.4%	%					
1.18ii - Social Isolation: % of adult carers who have as much social contact as they would like	2014/15	n/a	45.5%	40.5%	38.5%	%		n/a			

Health improvement

Indicator	Latest Period	Rotherham		Region Value	England Value	Unit	RAG	Last yr	Trend	Since Baseline	
		Count	Value							Overall	RAG-C
2.01 - Low birth weight of term babies (>= 37 weeks gestational age at birth)	2014	111	3.9%	3.1%	2.9%	%					A to R
2.02i - Breastfeeding - Breastfeeding initiation (Female)	2014/15	1,745	62.5%	69.9%	74.3%	%					
2.02ii - Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth (historical method)	2012/13	914	29.7%	38.3%	42.7%	%					
2.02iii - Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth (current method) (S)	2015/16	800	**	**	43.2%	%	n/a	n/a		n/a	
2.03 - Smoking status at time of delivery (Female)	2015/16	493	18.1%	14.5%	10.6%	%					
2.04 - Under 18 conceptions (Female)	2014	137	28.9	26.4	22.8	Crude rate per 1,000					
2.04 - Under 18 conceptions: conceptions in those aged under 16 (Female)	2014	27	5.9	5.5	4.4	Crude rate per 1,000					
2.05ii - Proportion of children aged 2-2½ years offered ASQ-3 as part of the Healthy Child Programme or integrated review	2015/16 (NEW)	533	19.0%	62.2%	81.3%	%		n/a		n/a	
2.06i - Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2014/15	711	21.7%	21.5%	21.9%	%					R to A
2.06ii - Excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2014/15	1,019	35.3%	33.3%	33.2%	%					
2.07i - Hospital adms caused by unintentional and deliberate injuries in children (0-14 years)	2014/15	498	106.5	116.0	109.6	Crude rate per 10,000					
2.07ii - Hospital adms caused by unintentional and deliberate injuries in children (0-4 years)	2014/15	209	129.8	135.3	137.5	Crude rate per 10,000					
2.07iii - Hospital adms caused by unintentional and deliberate injuries in young people (15-24)	2014/15	378	122.6	138.1	131.7	Crude rate per 10,000					
2.08i - Average difficulties score for all looked after children aged 5-16 in care at least 12 months	2014/15	n/a	15.2	14.4	13.9	Score					
2.08ii - Percentage of children where there is a cause for concern	2014/15	n/a	46.0	39.0	37.0	%		n/a		n/a	
2.09i Smoking prevalence age 15 years (WAY survey)	2014/15	n/a	10.0%	8.7%	8.2%	%		n/a		n/a	
2.09ii Smoking prevalence age 15 years - regular smokers (WAY survey)	2014/15	n/a	7.2%	6.2%	5.5%	%		n/a		n/a	
2.09iii Smoking prevalence age 15 years - occasional smokers (WAY survey)	2014/15	n/a	2.9%	2.5%	2.7%	%		n/a		n/a	
2.10ii - Emergency hospital admissions for self harm	2014/15	411	161.9	198.1	191.4	DSR per 100,000					
2.11i - Fruit and Veg '5-a-day' (age 16+)	2015	n/a	49.8%	51.0%	52.3%	%				n/a	R to A
2.11ii - Average portions of fruit eaten (age 16+)	2015	n/a	2.37	2.46	2.51					n/a	A to R
2.11iii - Average portions of vegetables eaten (16+)	2015	n/a	2.12	2.23	2.27					n/a	
2.11iv - Proportion of the population meeting the 5-day-day recommendations at age 15	2014/15	n/a	47.1	49.6	52.4			n/a		n/a	
2.11v - Average portions of fruit consumed daily at age 15	2014/15 (NEW)	3,011	2.12	2.30	2.39	Average daily quantity		n/a		n/a	
2.11vi - Average portions of vegetables consumed daily at age 15	2014/15 (NEW)	2,995	2.13	2.27	2.40	Average daily quantity		n/a		n/a	
2.12 - Excess Weight in Adults (age 16+)	2013-15	n/a	76.2%	67.4%	64.8%	%				n/a	
2.13i - Percentage of physically active and inactive adults - active adults (age 16+)	2015	n/a	53.0%	56.3%	57.0%	%					
2.13ii - Percentage of active and inactive adults - inactive adults (age 16+)	2015	n/a	30.6%	29.1%	28.7%	%					R to A
2.14 - Smoking Prevalence (age 18+)	2015	n/a	18.0%	18.6%	16.9%	%					R to A
2.14 - Smoking prevalence - routine & manual (18+)	2015	n/a	26.7%	28.2%	26.5%	%					
2.15i - Successful completion of drug treatment - opiate users (age 18-75) (CHANGED)	2015	69	6.3%	5.8%	6.7%	%					
2.15ii - Successful completion of drug treatment - non-opiate users (age 18-75) (CHANGED)	2015	63	42.9%	34.8%	37.3%	%					
2.15iii - Successful completion of alcohol treatment (age 18-75) (CHANGED)	2015	256	49.5%	37.3%	38.4%	%					
2.15iv - Deaths from drugs misuse	2013-15	32	4.4	4.5	3.9	%		n/a		n/a	
2.16 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release	2015/16 (NEW)	44	37.6	40.9	30.3	%		n/a		n/a	
2.17 - Recorded diabetes (age 17+)	2014/15	13,883	6.7%	6.6%	6.4%	%					

Health improvement (continued)

Indicator	Latest Period	Rotherham		Region Value	England Value	Unit	RAG	Last yr	Trend	Since Baseline	
		Count	Value							Overall	RAG-C
2.18 - Alcohol related admissions to hospital (Persons)	2014/15	1,781	701	687	641	DSR per 100,000					
2.18 - Alcohol related admissions to hospital (Male)	2014/15	1,112	917	872	827	DSR per 100,000					
2.18 - Alcohol related admissions to hospital (Female)	2014/15	669	510	521	474	DSR per 100,000					R to A
2.19 - Cancer diagnosed at early stage (Experimental Statistics) (all ages)	2014	n/a	**	50.1%	50.7%	%		n/a		n/a	
2.20i - Cancer screening coverage - breast cancer (Female) (age 53-70)	2015	23,415	79.6%	75.6%	75.4%	%					
2.20ii - Cancer screening coverage - cervical cancer (Female) (age 25-64)	2015	49,701	76.5%	75.9%	73.5%	%					
2.20iii - Cancer screening coverage - bowel cancer (age 60-74)	2015	24,088	59.9%	57.5%	57.1%	%		n/a		n/a	
2.20iv - Abdominal Aortic Aneurysm screening - coverage (age 65)	2014/15	1,264	82.3%	82.2%	79.4%	%				n/a	
2.20xi - Newborn bloodspot screening - coverage (age under 1 year)	2014/15	2,650	95.1%	91.9%	95.8%	%					
2.20xii - Newborn hearing screening - coverage (age under 1 year)	2014/15	2,822	97.3%	98.5%	98.5%	%					A to R
2.22iii - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check (in 5yrs 13/14-17/18)	2013/14 - 2015/16	23,037	28.6%	49.8%	56.4%	%		n/a		n/a	
2.22iv - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check who received one	2013/14 - 2015/16	17,290	75.1%	48.8%	48.6%	%		n/a		n/a	
2.22v - Cumulative % of the eligible population aged 40-74 who received an NHS Health Check (13/14-17/18)	2013/14 - 2015/16	17,290	21.4%	24.3%	27.4%	%		n/a		n/a	
2.23i - Self-reported well-being - people with a low satisfaction score (age 16+)	2014/15	n/a	7.1%	5.7%	4.8%	%					
2.23ii - Self-reported well-being - people with a low worthwhile score (age 16+)	2014/15	n/a	4.9%	4.3%	3.8%	%					
2.23iii - Self-reported well-being - people with a low happiness score (age 16+)	2014/15	n/a	12.1%	10.2%	9.0%	%					
2.23iv - Self-reported well-being - people with a high anxiety score (age 16+)	2014/15	n/a	23.9%	21.3%	19.4%	%					
2.24i - Injuries due to falls in people aged 65 and over (Persons)	2014/15	676	1,417	2,041	2,125	DSR per 100,000					R to G
2.24i - Injuries due to falls in people aged 65 and over (Male)	2014/15	203	1,136	1,680	1,740	DSR per 100,000					A to G
2.24i - Injuries due to falls in people aged 65 and over (Female)	2014/15	473	1,697	2,402	2,509	DSR per 100,000					R to G
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Persons)	2014/15	250	683	986	1,012	DSR per 100,000					A to G
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Male)	2014/15	76	437	792	826	DSR per 100,000				n/a	A to G
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Female)	2014/15	174	928	1,181	1,198	DSR per 100,000				n/a	
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Persons)	2014/15	426	3,545	5,099	5,351	DSR per 100,000					R to G
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Male)	2014/15	127	3,163	4,256	4,391	DSR per 100,000				n/a	A to G
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Female)	2014/15	299	3,928	5,943	6,312	DSR per 100,000				n/a	

Health protection

Indicator	Latest Period	Rotherham		Region Value	England Value	Unit	RAG	Last yr	Trend	Since Baseline	
		Count	Value							Overall	RAG-C
3.01 - Fraction of mortality attributable to particulate air pollution (age 30+)	2014	n/a	5.3%	4.9%	5.1%	%					
3.02 - Chlamydia detection rate (15-24 year olds) - CTAD (Persons)	2015	536	1,738	2,031	1,887	Crude rate per 1,000					A to R
3.02 - Chlamydia detection rate (15-24 year olds) - CTAD (Male)	2015	179	1,143	1,378	1,276	Crude rate per 1,000					
3.02 - Chlamydia detection rate (15-24 year olds) - CTAD (Female)	2015	351	2,313	2,697	2,492	Crude rate per 1,000					
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old)	2014/15	3,015	96.9%*	95.8%	94.2%	%					
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old)	2014/15	3,024	96.4%*	95.9%	93.2%	%					
3.03iv - Population vaccination coverage - MenC (1 yr)	2012/13	2,968	95.8%	95.1%	93.9%	%					
3.03v - Population vaccination coverage - PCV (1 yr)	2014/15	3,009	96.8%*	95.6%	93.9%	%					
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old)	2014/15	2,950	94.0%*	94.5%	92.1%	%					
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years)	2014/15	3,069	95.0%*	95.2%	92.4%	%					
3.03vii - Population vaccination coverage - PCV booster (2 years old)	2014/15	2,937	93.6%*	94.8%	92.2%	%					
3.03viii - Population vaccination coverage - MMR for one dose (2 years old)	2014/15	2,922	93.1%*	94.3%	92.3%	%					
3.03ix - Population vaccination coverage - MMR for one dose (5 years old)	2014/15	3,075	95.2%*	96.2%	94.4%	%					
3.03x - Population vaccination coverage - MMR for two doses (5 years old)	2014/15	2,953	91.4%*	92.3%	88.6%	%					R to G
3.03xii - Population vaccination coverage - HPV (Female) (12-13 years)	2014/15	1,418	88.4%	91.8%	89.4%	%		n/a		n/a	
3.03xiii - Population vaccination coverage - PPV (65+)	2015/16	32,868	75.3%	71.7%	70.1%	%					A to G
3.03xiv - Population vaccination coverage - Flu (aged 65+)	2015/16	34,624	74.8%	72.4%	71.0%	%					
3.03xv - Population vaccination coverage - Flu (at risk individuals) (6 months to 64 years)	2015/16	16,247	47.4%	45.6%	45.1%	%					
3.03xvii - Shingles vaccination coverage (70 years old)	2014/15	1,494	57.4%*	60.1%	59.0%	%		n/a		n/a	
3.03xviii - Population vaccination coverage - Flu (2-4 year olds)	2015/16	3,475	38.7%	35.5%	34.4%	%				n/a	A to R
3.04 - People presenting with HIV at a late stage of infection (age 15+)	2013-15	12	48.0%	48.2%	40.3%	%					R to A
3.05i - Treatment completion for TB (all ages)	2014	17	85.0%	83.5%	84.4%	%		n/a			R to A
3.05ii - Incidence of TB (all ages)	2013-15	43	5.5	9.6	12.0	Crude rate per 100,000					R to A
3.06 - NHS organisations with a board approved sustainable development management plan	2014/15	1	25.0%	48.1%	56.5%	%					
3.07 - Comprehensive, agreed inter-agency plans for responding to health protection incidents and emergencies	2014/15	n/a	100.0%	92.3%	95.2%	%		n/a		n/a	

Healthcare public health and preventing premature mortality

Indicator	Latest Period	Rotherham		Region Value	England Value	Unit	RAG	Last yr	Trend	Since Baseline	
		Count	Value							Overall	RAG-C
4.01 - Infant mortality (under 1 year)	2013-15	45	4.9	4.3	3.9	Crude rate per 1,000					
4.02 - Proportion of 5 year old children free from dental decay	2014/15	1,284	71.1	71.5	75.2	Mean dmft per child					
4.03 - Mortality rate from causes considered preventable (all ages) (Persons) (CHANGED)	2013-15	1,609	211.2	200.2	184.5	DSR per 100,000					
4.03 - Mortality rate from causes considered preventable (all ages) (Male) (CHANGED)	2013-15	954	259.8	251.7	232.5	DSR per 100,000					
4.03 - Mortality rate from causes considered preventable (all ages) (Female) (CHANGED)	2013-15	655	165.8	151.6	139.6	DSR per 100,000					
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons)	2013-15	621	89.2	83.5	74.6	DSR per 100,000					
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male)	2013-15	419	122.3	117.6	104.7	DSR per 100,000					
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female)	2013-15	202	57.0	51.2	46.2	DSR per 100,000					
4.04ii - <75 mortality rate from cardiovascular diseases considered preventable (Persons)	2013-15	402	57.5	55.3	48.1	DSR per 100,000					
4.04ii - <75 mortality rate from cardiovascular diseases considered preventable (Male)	2013-15	294	85.5	83.8	72.5	DSR per 100,000					
4.04ii - <75 mortality rate from cardiovascular diseases considered preventable (Female)	2013-15	108	30.4	28.2	25.0	DSR per 100,000					R to A
4.05i - Under 75 mortality rate from cancer (Persons)	2013-15	1,076	153.7	148.4	138.8	DSR per 100,000					
4.05i - Under 75 mortality rate from cancer (Male)	2013-15	551	160.7	166.9	154.8	DSR per 100,000					R to A
4.05i - Under 75 mortality rate from cancer (Female)	2013-15	525	147.2	131.3	123.9	DSR per 100,000					
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons)	2013-15	665	95.1	88.4	81.1	DSR per 100,000					
4.05ii - Under 75 mortality rate from cancer considered preventable (Male)	2013-15	339	99.1	96.8	88.4	DSR per 100,000					
4.05ii - Under 75 mortality rate from cancer considered preventable (Female)	2013-15	326	91.5	80.8	74.5	DSR per 100,000					
4.06i - Under 75 mortality rate from liver disease (Persons)	2013-15	126	18.0	17.9	18.0	DSR per 100,000					G to A
4.06i - Under 75 mortality rate from liver disease (Male)	2013-15	63	18.3	23.5	23.7	DSR per 100,000					A to G
4.06i - Under 75 mortality rate from liver disease (Female)	2013-15	63	17.6	12.6	12.5	DSR per 100,000					A to R
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons)	2013-15	95	13.5	15.8	15.9	DSR per 100,000					G to A
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male)	2013-15	53	15.5	21.1	21.4	DSR per 100,000					A to G
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female)	2013-15	42	11.7	10.6	10.6	DSR per 100,000					
4.07i - Under 75 mortality rate from respiratory disease (Persons)	2013-15	286	41.0	38.4	33.1	DSR per 100,000					A to R
4.07i - Under 75 mortality rate from respiratory disease (Male)	2013-15	147	43.3	42.6	38.5	DSR per 100,000					
4.07i - Under 75 mortality rate from respiratory disease (Female)	2013-15	139	38.9	34.5	28.0	DSR per 100,000					
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons)	2013-15	157	22.5	21.7	18.1	DSR per 100,000					A to R
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male)	2013-15	72	21.3	22.3	20.3	DSR per 100,000					
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female)	2013-15	85	23.7	21.1	16.1	DSR per 100,000					
4.08 - Mortality from a range of communicable diseases, including influenza (Persons)	2013-15	64	8.8	9.9	10.5	DSR per 100,000					G to A
4.08 - Mortality from a range of communicable diseases, including influenza (Male)	2013-15	33	11.4	10.7	11.5	DSR per 100,000					G to A
4.08 - Mortality from a range of communicable diseases, including influenza (Female)	2013-15	31	7.2	9.2	9.6	DSR per 100,000					

Healthcare public health and preventing premature mortality (continued)

Indicator	Latest Period	Rotherham		Region Value	England Value	Unit	RAG	Last yr	Trend	Since Baseline	
		Count	Value							Overall	RAG-C
4.09 - Excess under 75 mortality rate in adults with serious mental illness (age 18-74)	2013/14	n/a	409.3	366.6	351.8	Indirectly std. ratio					
4.09ii - Proportion of adults in contact with secondary mental health services (18-74)	2013/14	9,397	5.2	5.4	5.3	%		n/a		n/a	
4.10 - Suicide rate (all ages) (Persons)	2013-15	96	14.2	10.7	10.1	DSR per 100,000					A to R
4.10 - Suicide rate (all ages) (Male)	2013-15	74	22.9	17.2	15.8	DSR per 100,000					A to R
4.10 - Suicide rate (all ages) (Female)	2013-15	22	n/a	4.6	4.7	DSR per 100,000		n/a	n/a	n/a	
4.11 - Emergency readmissions within 30 days of discharge from hospital (all ages) (Persons)	2011/12	4,741	13.4	12.0	11.8	Indirectly std proportion					
4.11 - Emergency readmissions within 30 days of discharge from hospital (all ages) (Male)	2011/12	2,215	13.7	12.5	12.1	Indirectly std proportion					
4.11 - Emergency readmissions within 30 days of discharge from hospital (all ages) (Female)	2011/12	2,526	13.2	11.6	11.5	Indirectly std proportion					
4.12i - Preventable sight loss - age related macular degeneration (AMD) (age 65+)	2014/15	74	151.2	148.1	118.1	Crude rate per 100,000					
4.12ii - Preventable sight loss - glaucoma (age 40+)	2014/15	16	11.7	16.2	12.8	Crude rate per 100,000					
4.12iii - Preventable sight loss - diabetic eye disease (age 12+)	2014/15	14	6.3	4.6	3.2	Crude rate per 100,000					
4.12iv - Preventable sight loss - sight loss certifications (all ages)	2014/15	144	55.4	51.5	42.4	Crude rate per 100,000					
4.13 Health-related quality of life for older people (65 and over)	2013/14	n/a	0.682	0.719	0.727	Score					
4.14i - Hip fractures in people aged 65 and over (Persons)	2014/15	283	596	583	571	DSR per 100,000					
4.14i - Hip fractures in people aged 65 and over (Male)	2014/15	74	442	430	425	DSR per 100,000				n/a	
4.14i - Hip fractures in people aged 65 and over (Female)	2014/15	209	749	735	718	DSR per 100,000				n/a	
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Persons)	2014/15	86	239	250	239	DSR per 100,000					
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male)	2014/15	18	109	172	167	DSR per 100,000				n/a	
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Female)	2014/15	68	368	327	312	DSR per 100,000				n/a	
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons)	2014/15	197	1,631	1,548	1,535	DSR per 100,000					
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male)	2014/15	56	1,407	1,181	1,174	DSR per 100,000				n/a	R to A
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female)	2014/15	141	1,855	1,916	1,895	DSR per 100,000				n/a	
4.15i - Excess Winter Deaths Index (Single year, all ages) (Persons)	Aug 2014 - Jul 2015	272	32.2	25.8	27.7	Ratio					
4.15i - Excess Winter Deaths Index (Single year, all ages) (Male)	Aug 2014 - Jul 2015	133	33.8	21.7	23.6	Ratio					
4.15i - Excess Winter Deaths Index (Single year, all ages) (Female)	Aug 2014 - Jul 2015	140	30.9	29.8	31.6	Ratio					
4.15ii - Excess Winter Deaths Index (single year, ages 85+) (Persons)	Aug 2014 - Jul 2015	157	54.4	39.9	40.1	Ratio					
4.15ii - Excess Winter Deaths Index (single year, ages 85+) (Male)	Aug 2014 - Jul 2015	72	74.9	36.2	36.3	Ratio					A to R
4.15ii - Excess Winter Deaths Index (single year, ages 85+) (Female)	Aug 2014 - Jul 2015	85	44.3	42.1	42.4	Ratio					
4.15iii - Excess Winter Deaths Index (3 years, all ages) (Persons)	Aug 2012 - Jul 2015	485	19.7	19.0	19.6	Ratio					
4.15iii - Excess Winter Deaths Index (3 years, all ages) (Male)	Aug 2012 - Jul 2015	209	18.0	15.7	16.6	Ratio					G to A
4.15iii - Excess Winter Deaths Index (3 years, all ages) (Female)	Aug 2012 - Jul 2015	276	21.3	22.2	22.4	Ratio					
4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (Persons)	Aug 2012 - Jul 2015	224	26.5	28.4	28.2	Ratio					
4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (Male)	Aug 2012 - Jul 2015	92	31.0	26.6	26.5	Ratio					
4.15iv - Excess Winter Deaths Index (3 years, ages 85+) (Female)	Aug 2012 - Jul 2015	132	24.0	29.5	29.2	Ratio					R to A

Based on data from November 2016 quarterly update of the Public Health Outcomes Framework (PHOF) (published 01/11/16).

Source - Public Health England.

Notes

RAG = Rotherham compared to England (Red/Amber/Green)

Last yr = change over last year/period.

Trend = all available data from baseline ("n/a" if only 2 points)

Overall = change from baseline to latest.

RAG-C = Change in RAG status baseline to latest.

Value = Rotherham rate.

Region = Yorkshire and the Humber rate.

n/a - not applicable.

* Estimated from former primary care organisations covered by the LA.

** Not published for data quality reasons.

*** Last year/overall based on surveys for 2007/08 and 2011/12.

(S) New data source.

(NEW) New

(CHANGED) Definition changed.

Affects values.

Indicators with too few values at Rotherham level to calculate a rate:

2.09iv - Smoking prevalence at age 15 years - regular smokers (SDD survey)

2.09v - Smoking prevalence at age 15 years - occasional smokers (SDD survey)

2.20v - Diabetic eye screening - uptake

2.20vii - Infectious Diseases in Pregnancy Screening – HIV Coverage

2.20viii - Infectious Diseases in Pregnancy Screening – Syphilis Coverage

2.20ix - Infectious Diseases in Pregnancy Screening – Hepatitis B Coverage

2.20x - Sickle Cell and Thalassaemia Screening – Coverage

2.20xiii - Newborn and Infant Physical Examination Screening – Coverage

3.03i - Population vaccination coverage - Hepatitis B (1 year old)

3.03i - Population vaccination coverage - Hepatitis B (2 years old)

'RAG' column shows how Rotherham is performing compared to the England average:

Green circle = significantly better, Red = significantly worse, Amber = similar.

(R) = Red, (A) = Amber, (G) = Green.