

# **SKIN**

#### Fast track Referral - 2 week wait

## Please refer via e-Referral Service

CHILDREN: Please use separate children's proforma for patients under 16

SUSPECTED 2WW LESIONS: Please do not biopsy suspected melanoma or suspected squamous cell carcinoma in General Practice. Please refer to secondary care with the lesion intact.

OTHER: Only High Risk Basal Cell Carcinomas (see definition- Table 1) should be referred on the 2 week wait cancer pathway, otherwise they should be referred routinely (Please complete Routine referral).

**BENIGN LESIONS: Consider Advice and Guidance.** 

| Patient details         |   |               |               |  |
|-------------------------|---|---------------|---------------|--|
| Patient Name            | \${firstname} \${surname}   |               |               |  |
| Address                 | \${patientAddress}<br>\${postcode}  |               |               |  |
| DOB                     | \${dob} NHS No.   |               | \${nhsNumber} |  |
| Home Tel. No.           | \${home}  | Gender        | \${gender}    |  |
| Mobile Tel. No.         | \${mobile} Ethnicity  |               | \${ethnicity} |  |
| Preferred Tel. No.      | \${preferredNumber}   | Email Address | \${email}     |  |
| Main Spoken<br>Language | \${language} Interpreter need   |               | Yes No No     |  |
| Transport needed?       | \$\text{transportNeeded} \text{Patient agrees to telephone message being left?} |               | ☐ Yes ☐ No    |  |
|                         | Hard of hearing:  |               |               |  |
| Communication           | Learning/mental difficulties:   Dementia:                                       |               |               |  |
| requirements            | Has the patient capacity? Yes ☐ No ☐  |               |               |  |
|                         | Communication difficulties other: (please specify)                              |               |               |  |
|                         | \${communicationDifficultiesOther}  |               |               |  |

#### Standardised by C the Signs

| What consultation methods would the patient accept?  | Video: Yes No No Has the patient a device for this Video? Yes: No: Telephone: Home or Mobile Face to Face (Patient is prepared to attend hospital): |               |                            |                       |
|--|---|---------------|----------------------------|-----------------------|
| Date of Decision to<br>Refer   | \${createdDate}   |               |                            |                       |
|  |   |               |                            |                       |
|  |   | Registered (  | GP details                 |                       |
| Practice Name \${practiceName}   |   |               |                            |                       |
| Registered GP  |   | \${usualName} | Usual GP / Referring<br>GP | \${referringClinical} |
| Registered GP<br>Address   |   |               |                            |                       |
| Tel No.  |   | \${main}      | Fax No.                    | \${fax}               |
| Email  |   | \${gpEmail}   | Practice Code              | \${practiceCode}      |
|  |   |               |                            |                       |
| Patient engagement   |   |               |                            |                       |
| The patient has been informed that the reason for referral is to rule out or rule in Cancer.   |   |               |                            |                       |
| Supporting information (2ww leaflet) provided  |   |               |                            |                       |
| The patient has been informed of the likely next pathway steps and the time in which they should be contacted?   |   |               |                            |                       |
| The patient has confirmed that they are willing and available to be contacted and attend the hospital for appointments and tests within the required timeframes? |   |               |                            |                       |
| (and that this may include virtual or telephone consultations if appropriate)  |   |               |                            |                       |
| Does the patient want a relative present at the appointment Yes No   |   |               |                            |                       |
| Patient or Carer Concerns/ Support Needs at the point of referral:   |   |               |                            |                       |
| \${carerConcernsOrSupportNeeds}  |   |               |                            |                       |
|  |   |               |                            |                       |
|  |   | Covid s       | tatus                      |                       |

☐ Yes ☐ No

## Standardised by C the Signs

I can confirm the patient has been fully vaccinated

| Suspected diagnosis  |  |      |                                    |
|--|--|------|------------------------------------|
| I suspect Malignant Melanoma   |  |      |                                    |
| I suspect Squamous Cell Carcinoma  |  |      |                                    |
| I suspect high risk Basal Cell Carcino   | oma  |      |                                    |
|  |  |      |                                    |
| A _4:  |  | -    |                                    |
| Link to guidance on how to take a go   | ons prior to referral  |      |                                    |
| Close up photograph of the 2ww lesi  |  |      |                                    |
| Context (General anatomical site) phattached   | oto of the lesion  |      |                                    |
| Dermoscopic Image of 2ww lesion at   | tached (if available)  |      |                                    |
| TODERMATOLOGY (please attach ima   | ge; with appropriate conse   | ent) |                                    |
|  | ge; with appropriate conse   | ent) |                                    |
| TODERMATOLOGY (please attach image)  Does the patient meet the NICE guidan   | Referral Criteria  |      | Yes \( \square \) No \( \square \) |
| Does the patient meet the NICE guidan  | Referral Criteria  |      | Yes  No                            |
| Does the patient meet the NICE guidan  | Referral Criteria<br>ce for 2WW referral (NG12   |      | Yes No                             |
| Does the patient meet the NICE guidan  Clini  Duration (weeks or months)   | Referral Criteria ce for 2WW referral (NG12  |      | Yes No D                           |
| Does the patient meet the NICE guidan  Clini  Duration (weeks or months)  Site   | Referral Criteria  ce for 2WW referral (NG12  ical details of lesion  \${duration}   |      | Yes No                             |
| Does the patient meet the NICE guidan  Clini  Duration (weeks or months)   | Referral Criteria  ce for 2WW referral (NG12  ical details of lesion  \${duration}  \${site}   |      | Yes No D                           |
| Does the patient meet the NICE guidan  Clini  Duration (weeks or months)  Site  Size (diameter in mm)  | Referral Criteria  ce for 2WW referral (NG12  ical details of lesion  \${duration}  \${site}  \${size}   |      | Yes No                             |
| Does the patient meet the NICE guidan  Clini  Duration (weeks or months)  Site  Size (diameter in mm)  Pigmented                                   | Referral Criteria  ce for 2WW referral (NG12  ical details of lesion  \${duration}  \${site}  \${size}  Yes \( \) No \( \)                     |      | Yes No                             |
| Does the patient meet the NICE guidan  Clini  Duration (weeks or months)  Site  Size (diameter in mm)  Pigmented  Any suspected metastatic disease | Referral Criteria  ce for 2WW referral (NG12  ical details of lesion  \${duration}  \${site}  \${size}  Yes \( \) No \( \)                     | 2)   | Yes No                             |
| Does the patient meet the NICE guidan  Clini  Duration (weeks or months)  Site  Size (diameter in mm)  Pigmented  Any suspected metastatic disease | Referral Criteria  ce for 2WW referral (NG12  ical details of lesion  \${duration}  \${site}  \${size}  Yes \( \) No \( \)  Yes \( \) No \( \) | 2)   |                                    |

Standardised by C the Signs

SYB ICS Cancer Alliance working with Derbyshire Skin Pathway [Version 2.5]

[Implementation Date: June 2021/Review Date: June 2022]

| Previous non-melanoma skin cancer   | Yes                                |        |  |  |
|---|------------------------------------|--------|--|--|
|   | \${previousNonMelanomaSkinCancer   | r}     |  |  |
| Family history of malignant   | Yes                                |        |  |  |
| melanoma  | \${familyHistoryMalignantMelanoma} |        |  |  |
| Family history of non-melanoma skin   | Yes                                |        |  |  |
| cancer  | \${familyHistoryNonMelanomaSkinCa  | ancer} |  |  |
|   |                                    |        |  |  |
| ı   | Referral letter                    |        |  |  |
| (please include any symptoms and examination findings)                          |                                    |        |  |  |
| \${symptomsAndExaminationFindings}  |                                    |        |  |  |
|   |                                    |        |  |  |
| Relevant investigations   |                                    |        |  |  |
| \${relevantInvestigations}  |                                    |        |  |  |
|   |                                    |        |  |  |
| Performance status - WHO classification   |                                    |        |  |  |
| 0 - Able to carry out all normal activity without restriction                   |                                    |        |  |  |
| Restricted in physically strenuous activity, but able to walk and do light work |                                    |        |  |  |

# 0 - Able to carry out all normal activity without restriction 1 - Restricted in physically strenuous activity, but able to walk and do light work 2 - Able to walk and capable of all self-care, but unable to carry out any work. Up and about more than 50% of waking hours 3 - Capable of only limited self-care, confined to bed or chair more than 50% of waking hours 4 - Completely disabled. Cannot carry on any self-care. Totally confined to bed or chair

#### **Consultations**

\${additionalClinicalInfo}

## **Past Medical History**

\${medicalHistory}

#### Standardised by C the Signs

SYB ICS Cancer Alliance working with Derbyshire Skin Pathway [Version 2.5]

[Implementation Date: June 2021/Review Date: June 2022]

# **Family history**

\${relevantFamilyHistoryOfCancer}

## **Current Medications**

\${medication}

# **Allergies**

\${allergies}

| To be completed by the Hospital Data Team                    |  |  |  |  |
|--|--|--|--|--|
| Date of decision to refer                                    |  |  |  |  |
| Date of appointment  |  |  |  |  |
| Date of earliest offered appointment (if different to above) |  |  |  |  |
| Specify reason if not seen at earliest offered appointment   |  |  |  |  |
| Periods of unavailability                                    |  |  |  |  |
| Booking number (UBRN)  |  |  |  |  |
| Final diagnosis: Malignant   Benign                          |  |  |  |  |

## **Appendices**

| 2WW   | Yes | High Risk /<br>2WW / Urgent   | Yes   | Routine<br>Referral  | Yes   | Benign/ Do not refer   | Yes |
|---|-----|---|---|--|---|--|-----|
| Malignant Melanoma  Any changing pigmented lesion which has a score of THREE on the weighted scoring system. (see below)  A pigmented or non-pigmented skin lesion that suggests nodular melanoma               |     | Basal Cell Carcinoma  where delay in treatment would cause significant impact in the following circumstances:  Suspected BCC on nose or in periorbital region within 5mm of the eye measuring > 3mm diameter Lesion greater than 20mm diameter on head and neck  If neither of these apply, please complete routine referral. | Sus Bas Care Whe rem susp wou an u impa to the local BCC High guid Con refe     | Suspicion of Basal Cell Carcinoma  Where a delay in removing a suspected BCC would not have an unfavourable impact, e.g. due to the size or location/ site BCC (as per High Risk guidance)  Consider pre referral advice and guidance. |   | Benign Lesion Please do not refer benign lesions, seek advice and guidance first.  Please note referrals must meet the CCG clinical threshold guidance for referral/ acceptance. |     |
| Suspected SCC Suspected invasive squamous cell carcinoma (not intra-epidermal/ Bowen's) Rapidly growing non-healing lump that may be crusted, ulcerated, horn- like (on a raised base), bleeding and/or tender. |     |   | than 20mm diameter on head and neck  If neither of these apply, please complete |  | Pre-cancerous lesions (e.g. Bowens AK) Please consider Advice and Guidance or Teledermatology first, if a referral is required, this will be routine. |  |     |

#### Summary of the NICE 2015 suspected cancer guidelines

The criteria are compliant with 2015 NICE guidelines for referring those with suspected cancer and not a substitute for your own clinical judgement or taking specialist professional advice as appropriate.

#### Table 1

| Skin cancers                   |  |
|--------------------------------|--|
| Malignant melanoma             |  |
| Refer suspected cancer pathway | A pigmented or non-pigmented skin lesion that suggests nodular melanoma.   |
|                                | <ul> <li>Suspicious pigmented skin lesion that scores 3 or more from<br/>weighted 7 point checklist (as below):</li> </ul> |
|                                | Major features (score 2 points each):  |
|                                | o Change in size.  |
|                                | o Irregular shape.   |
|                                | o Irregular colour.  |
|                                |  |
|                                | Minor features (score 1 point each):   |
|                                | o Largest diameter ≥7mm.   |
|                                | o Inflammation.  |
|                                | o Oozing.  |
|                                | Change in sensation.   |
|                                | Dermoscopy suggests malignant melanoma.  |